What Is Claimed Is:

- 1. An isolated nucleic acid molecule comprising a polynucleotide having a nucleotide sequence selected from the group consisting of:
 - (a) a nucleotide sequence encoding any one of the amino acid sequences of the polypeptides shown in Table 1; or
 - (b) a nucleotide sequence complementary to any one of the nucleotide sequences in (a).
 - (c) a nucleotide sequence at least 95 % identical to any one of the nucleotide sequences shown in Table 1; or,
 - (d) a nucleotide sequence at least 95% identical to a nucleotide sequence complementary to any one of the nucleotide sequences shown in Table 1.
- 2. An isolated nucleic acid molecule of claim 1 comprising a polynucleotide which hybridizes under stringent hybridization conditions to a polynucleotide having a nucleotide sequence identical to a nucleotide sequence in (a) or (b) of claim 1.
- 3. An isolated nucleic acid molecule of claim 1 comprising a polynucleotide which encodes an epitope-bearing portion of a polypeptide in (a) of claim 1.
- 4. The isolated nucleic acid molecule of claim 3, wherein said epitope-bearing portion of a polypeptide comprises an amino acid sequence listed in Table 4.
- 5. A method for making a recombinant vector comprising inserting an isolated nucleic acid molecule of claim 1 into a vector.
- 6. A recombinant vector produced by the method of claim 5.
- 7. A host cell comprising the vector of claim 6.
- 8. A method of producing a polypeptide comprising:

- (a) growing the host cell of claim 7 such that the protein is expressed by the cell; and
- (b) recovering the expressed polypeptide.
- 9. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of:
 - (a) a complete amino acid sequences of Table 1;
 - (b) a complete amino acid sequence of Table 1 except the N-terminal residue;
 - (c) a fragment of a polypeptide of Table 1 having biological activity; and
 - (d) a fragment of a polypeptide of Table 1 which binds to an antibody specific for a S. aureus polypeptide.
- 10. An isolated polypeptide comprising an amino acid sequence at least 95% identical to an amino acid sequence of Table 1.
- 11. An isolated epitope-bearing polypeptide comprising an amino acid sequence of Table 4.
- 12. An isolated antibody specific for the polypeptide of claim 9.
- 13. A host cell which produces an antibody of claim 12.
- 14. A vaccine, comprising:
 - (1) one or more S. aureus polypeptides selected from the group consisting of a polypeptide of claim 9; and
 - (2) a pharmaceutically acceptable diluent, carrier, or excipient; wherein said polypeptide is present, in an amount effective to elicit protective antibodies in an animal to a member of the *Staphylococcus* genus.
- 15. A method of preventing or attenuating an infection caused by a member of the *Staphylococcus* genus in an animal, comprising administering to said animal a polypeptide of claim 9, wherein said polypeptide is administered in an amount effective to prevent or attenuate said infection.

- 16. A method of detecting Staphylococcus nucleic acids in a biological sample comprising:
 - (a) contacting the sample with one or more nucleic acids of claim 1, under conditions such that hybridization occurs, and
 - (b) detecting hybridization of said nucleic acids to the one or more *Staphylococcus* nucleic acid sequences present in the biological sample.
- 17. A method of detecting *Staphylococcus* nucleic acids in a biological sample obtained from an animal, comprising:
 - (a) amplifying one or more *Staphylococcus* nucleic acid sequences in said sample using polymerase chain reaction, and
 - (b) detecting said amplified Staphylococcus nucleic acid.
- 18. A kit for detecting *Staphylococcus* antibodies in a biological sample obtained from an animal, comprising
 - (a) a polypeptide of claim 9 attached to a solid support; and
 - (b) detecting means.
- 19. A method of detecting *Staphylococcus* antibodies in a biological sample obtained from an animal, comprising
 - (a) contacting the sample with a polypeptide of claim 9; and
 - (b) detecting antibody-antigen complexes.
- 20. A method of detecting a polypeptide of claim 9 comprising:
 - (a) obtaining a biological sample suspected of containing said polypeptide; and
 - (b) determining the presence or absence of said polypeptide in said biological sample.
- 21. The method of claim 20, wherein said method comprises a step of contacting the sample with an antibody.